

Dengue Virus Type 2 Primers

Catalog No. NR-12079

For research use only. Not for human use.

Contributor:

BEI Resources

Product Description:

There are four antigenically related but genetically distinct serotypes of dengue virus, types 1 through 4 (DENV-1 to DENV-4, respectively). NR-12079 contains forward and reverse primers that specifically amplify a region of the E gene of DENV-2. A protocol is outlined in Appendix I.

Material Provided:

Each vial contains approximately 100 µL of a 50 µM mixture of forward and reverse primers in TE buffer (pH 7.0). The concentration is shown on the Certificate of Analysis.

Packaging/Storage:

Primers were packaged aseptically in screw-capped plastic cryovials. The product is provided frozen on dry ice and should be stored at -60°C or colder upon arrival. Freeze-thaw cycles should be minimized.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: Dengue Virus Type 2 Primers, NR-12079."

Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories](#). 5th ed. Washington, DC: U.S. Government Printing Office, 2007; see www.cdc.gov/od/ohs/biosfty/bmbl5/bmbl5toc.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government make any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale. This material may be subject to third party patent rights.

ATCC® is a trademark of the American Type Culture Collection.



APPENDIX I

Dengue Virus Type 2 (DENV-2) Primers

Recommended Reagents/Equipment

Reagent	Source	Catalog #
DENV-2 Primers	BEI Resources	NR -12079
Positive Control Template, Genomic RNA from DENV-2, New Guinea C	BEI Resources	Genomic RNA from NR-84
Qiagen OneStep RT-PCR Kit	Qiagen	210212

Reaction Mix¹

Reagent	Stock Concentration	Volume per Reaction (µL)
RNase-free water	---	23
Qiagen OneStep RT-PCR Buffer	5X	10
Q Solution	5X	10
dNTP Mix	10 mM each	2
Qiagen OneStep RT-PCR Enzyme Mix	---	2
Primers ²	50 µM (each primer)	1
Template	50 to 5000 ng	2
		Total volume = 50 µL

¹Reaction mix should be kept on bench-top cooler until ready for use.

²Primers are supplied at working stock concentrations.

Cycling Protocol

Cycle	# of Repeats	Step	Conditions
RT	1	1	54°C for 30 minutes
Heat Inactivation	1	1	95°C for 15 minutes
Denature	35	1	94°C for 30 seconds
Anneal		2	54°C for 30 seconds
Extension		3	72°C for 2 minutes
Final Extension	1	1	72°C for 7 minutes
Hold	Indefinite	1	Hold at 4°C