

***Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 017/018_Kan**

Catalog No. NR-29407

For research use only. Not for use in humans.

Contributor:

Helene Andrews-Polymeris, Associate Professor, Department of Microbial Pathogenesis and Immunology, College of Medicine, Texas A&M Health Science Center, Bryan, Texas, USA and Michael McClelland, Professor, Scientific Director, Vaccine Research Institute of San Diego, San Diego, California, USA

Manufacturer:

BEI Resources

Product Description:

Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources does not confirm or validate individual mutants provided by the contributor.

The *Salmonella enterica* (*S. enterica*) subsp. *enterica*, strain 14028s (serovar Typhimurium) targeted single-gene deletion (SGD) mutant library contains a total of 3,773 individual genes deleted simultaneously across two collections of mutants differentiated by kanamycin or chloramphenicol resistance.^{1,2} The kanamycin-resistant mutant collection contains 3,517 mutants distributed among eleven 96-well plates. In these mutants, a single gene is replaced by a cassette conferring the kanamycin resistance gene, and includes 9 double mutants that contain both kanamycin and chloramphenicol cassettes. Deletions were confirmed by the depositor.^{1,2} The parent strain *S. enterica* subsp. *enterica*, strain 14028s is available from BEI Resources as NR-12154.

Genes were targeted for deletion by primers designed to preserve the first and last 30 bases of each deleted gene.² Gene replacement followed a modified Lambda-Red technique, with an added T7 RNA polymerase promoter positioned in plasmid pCLF4 to generate a gene-specific transcript from the *Salmonella* genome directly downstream of each mutant.^{2,3,4} Detailed information about each mutant is shown in Table 1.

Material Provided:

Each inoculated well of the 96-well plate contains approximately 50 µL of culture in Luria Bertani (LB) broth containing 60 µg/mL kanamycin supplemented with 10% glycerol.

Packaging/Storage:

NR-29407 was packaged aseptically in a 96-well plate. The product is provided frozen and should be stored at -80°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

LB broth or agar containing 60 µg/mL kanamycin

Incubation:

Temperature: 37°C

Atmosphere: Aerobic

Propagation:

1. Scrape top of frozen well with a pipette tip and streak onto agar plate.
2. Incubate the plates at 37°C for 1 day.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 017/018_Kan, NR-29407."

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 6th ed. Washington, DC: U.S. Government Printing Office, 2020; see www.cdc.gov/biosafety/publications/bmbl5/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for

damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Andrews-Polymeris, H. and M. McClelland, Personal Communication.

2. Porwollik, S., et al. "Defined Single-Gene and Multi-Gene Deletion Mutant Collections in *Salmonella enterica* sv Typhimurium." *PLoS One* 9 (2014): e99820. PubMed: 25007190.

3. Santiviago, C. A., et al. "Analysis of Pools of Targeted *Salmonella* Deletion Mutants Identifies Novel Genes Affecting Fitness during Competitive Infection in Mice." *PLoS Pathog.* 5 (2009): e1000477. PubMed: 19578432.

4. Datsenko, K. A. and B. L. Wanner. "One-Step Inactivation of Chromosomal Genes in *Escherichia coli* K-13 Using PCR Products." *Proc. Natl. Acad. Sci. USA* 97 (2000): 6640-6645. PubMed: 10829079.

ATCC® is a trademark of the American Type Culture Collection.



BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Product Sheet contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

Table 1: *S. enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 017/018_Kan^{1,2}

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
A01	chr_14028S	16118	16402	STM14_0017	16088	16432	-	Putative bacteriophage protein
A02	chr_14028S	1133922	1134542	STM14_1232	1133892	1134572	+	Pathogenicity island-encoded protein A
A03	chr_14028S	1491882	1493033	STM14_1690	1491852	1493063	-	Virulence protein
A04	chr_14028S	1500283	1500972	STM14_1705	1500253	1501002	-	Needle complex inner membrane lipoprotein
A05	chr_14028S	1507359	1507673	STM14_1713	1507329	1507703	-	Type III secretion system apparatus protein
A06	chr_14028S	1966442	1966801	STM14_2249	1966412	1966831	+	Putative acetyltransferase
A07	chr_14028S	3036609	3037727	STM14_3473	3036579	3037757	+	Needle complex inner membrane protein
A08	chr_14028S	3053652	3053852	STM14_3488	3053622	3053882	+	Needle complex export protein
A09	chr_14028S	3061864	3063492	STM14_3497	3061834	3063522	+	Outer membrane secretin precursor
A11	chr_14028S	3965455	3966432	STM14_4524	3965425	3966462	-	Putative cytoplasmic protein
B02	chr_14028S	1135917	1136177	STM14_1235	1135887	1136207	-	Putative inner membrane protein
B03	chr_14028S	1493101	1493283	STM14_1691	1493071	1493313	-	Secretion system effector
B05	chr_14028S	1507714	1508622	STM14_1714	1507684	1508652	-	Type III secretion system protein
B06	chr_14028S	2446378	2447271	STM14_2824	2446348	2447301	-	Deubiquitinase
B07	chr_14028S	3041802	3042224	STM14_3476	3041772	3042254	-	Invasion protein precursor
B08	chr_14028S	3053938	3054552	STM14_3489	3053908	3054582	+	Surface presentation of antigens protein SpaP
B09	chr_14028S	3063549	3064139	STM14_3498	3063519	3064268	+	Invasion regulatory protein
B11	chr_14028S	3967791	3968348	STM14_4526	3967761	3968378	-	Putative cytoplasmic protein
C01	chr_14028S	737824	738339	STM14_0783	737794	738369	+	Putative inner membrane protein
C02	chr_14028S	1136247	1136528	STM14_1236	1136217	1136558	+	Pathogenicity island-encoded protein C
C04	chr_14028S ³	1501595	1502209	STM14_1707	1501565	1502239	-	Type III secretion system apparatus protein
C05	chr_14028S	1508750	1509337	STM14_1715	1508720	1509367	-	Type III secretion system protein
C06	chr_14028S	2457676	2459598	STM14_2837	2457646	2459628	-	Bifunctional UDP-glucuronic acid decarboxylase/UDP-4-amino-4-deoxy-L-arabinose formyltransferase
C07	chr_14028S	3043956	3044288	STM14_3478	3043926	3044318	+	Secretion chaperone
C08	chr_14028S	3054602	3055453	STM14_3490	3054572	3055483	+	Surface presentation of antigens protein SpaO
C09	chr_14028S	3064656	3065039	STM14_3499	3064626	3065069	-	Needle complex outer membrane lipoprotein precursor
C10	chr_14028S	3335936	3336286	STM14_3821	3335906	3336316	-	Putative cytoplasmic protein
C11	chr_14028S	3968483	3971290	STM14_4527	3968453	3971320	-	Putative autotransporter
D01	chr_14028S	786601	787674	STM14_0840	786571	787704	-	Putative glycosyl transferase
D02	chr_14028S	1138793	1138843	STM14_1239	1138763	1138873	+	Putative cytoplasmic protein

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
D03	chr_14028S	1494527	1494940	STM14_1695	1494497	1494970	-	Secretion system chaperone
D04	chr_14028S ⁴	1502235	1503191	STM14_1708	1502205	1503221	-	Type III secretion system apparatus protein
D05	chr_14028S	1509394	1509600	STM14_1716	1509364	1509630	-	Type III secretion system apparatus protein
D06	chr_14028S	2900699	2901832	STM14_3305	2900669	2901862	-	Putative cytoplasmic protein
D07	chr_14028S	3044375	3044575	STM14_3479	3044345	3044605	+	Putative cytoplasmic protein
D08	chr_14028S	3056523	3056906	STM14_3492	3056493	3056936	+	Needle complex assembly protein
D09	chr_14028S	3065530	3065919	STM14_3500	3065500	3065949	-	Putative cytoplasmic protein
E01	chr_14028S	788637	789287	STM14_0842	788607	789317	-	Putative ABC-type polysaccharide/polyol phosphate transport system ATPase component
E02	chr_14028S	1156052	1156354	STM14_1261	1156022	1156384	+	Hypothetical protein
E03	chr_14028S	1497531	1497905	STM14_1699	1497501	1497935	-	Secretion system chaperone
E04	chr_14028S	1503309	1503617	STM14_1709	1503279	1503647	-	Type III secretion system apparatus protein
E05	chr_14028S	1509661	1510380	STM14_1717	1509631	1510410	-	Type III secretion system apparatus protein
E06	chr_14028S ⁵	3034055	3034675	STM14_3468	3034025	3034705	+	Needle complex export protein
E07	chr_14028S	3044679	3044867	STM14_3480	3044649	3044897	+	Acyl carrier protein
E08	chr_14028S	3056944	3058179	STM14_3493	3056914	3058209	+	ATP synthase SpaL
E09	chr_14028S	3065964	3066251	STM14_3501	3065934	3066281	-	Putative cytoplasmic protein
E10	chr_14028S	3870858	3871730	STM14_4427	3870828	3871760	-	Putative chemotaxis protein
E11	chr_14028S	3972830	3972883					
F01	chr_14028S	791412	792185	STM14_0844	791382	792215	-	Putative glycosyltransferase
F02	chr_14028S	1357534	1358067	STM14_1526	1357504	1358097	-	Putative response regulator
F04	chr_14028S	1503662	1505647	STM14_1710	1503632	1505677	-	Secretion system apparatus protein SsaV
F05	chr_14028S	1510437	1511435	STM14_1718	1510407	1511465	-	Secretion system apparatus protein SsaU
F06	chr_14028S	3035263	3035961	STM14_3470	3035233	3035991	+	Needle complex inner membrane lipoprotein
F07	chr_14028S	3051165	3051602	STM14_3485	3051135	3051632	+	Secretion chaperone
F08	chr_14028S	3058236	3058583	STM14_3494	3058206	3058613	+	Secretion chaperone
F10	chr_14028S	3929405	3929578	STM14_4481	3929375	3929608	+	Putative inner membrane protein
F11	chr_14028S	3973561	3974181	STM14_4532	3973531	3974211	-	Putative inner membrane protein
F12	chr_14028S	4496046	4512665	STM14_5121	4496016	4512695	-	Putative inner membrane protein
G01	chr_14028S	792348	794138	STM14_0845	792273	794168	-	Putative glycosyl transferase
G02	chr_14028S	1485266	1485934	STM14_1684	1485236	1485964	+	Putative regulatory protein
G03	chr_14028S	1499799	1499966	STM14_1703	1499769	1499996	-	Type III secretion system apparatus protein
G04	chr_14028S	1505697	1506938	STM14_1711	1505667	1506968	-	Type III secretion system ATPase
G06	chr_14028S	3036018	3036263	STM14_3471	3035988	3036293	+	Needle complex minor subunit
G07	chr_14028S	3051800	3052810	STM14_3486	3051770	3052840	+	Surface presentation of antigens protein SpaS
G08	chr_14028S	3058667	3060664	STM14_3495	3058637	3060694	+	Needle complex export protein
G10	chr_14028S	3962709	3962993	STM14_4519	3962679	3963023	+	Putative cytoplasmic protein
G11	chr_14028S	3974470	3974889	STM14_4534	3974440	3974919	+	Putative inner membrane protein
H01	chr_14028S ⁶	1062657	1062896	STM14_1145	1062627	1062926	+	Hypothetical protein
H02	chr_14028S	1490408	1491841	STM14_1689	1490378	1491871	-	Outer membrane secretin precursor
H03	chr_14028S	1500038	1500226	STM14_1704	1500008	1500256	-	Type III secretion system apparatus protein
H04	chr_14028S	1507001	1507318	STM14_1712	1506971	1507348	-	Type III secretion system apparatus protein
H05	chr_14028S	1964853	1965188	STM14_2247	1964823	1965218	-	Putative cytoplasmic protein
H06	chr_14028S	3036342	3036524	STM14_3472	3036312	3036554	+	Needle complex major subunit
H07	chr_14028S	3052857	3053588	STM14_3487	3052827	3053618	+	Needle complex export protein
H08	chr_14028S	3060749	3061807	STM14_3496	3060719	3061837	+	Invasion protein
H09	chr_14028S	3067886	3068353	STM14_3506	3067856	3068383	-	Putative acetyltransferase
H10	chr_14028S	3963731	3964861	STM14_4522	3963701	3964891	-	ATP binding protein
H11	chr_14028S	3975264	3977930	STM14_4536	3975234	3977960	+	Mg ²⁺ transporter

¹All information in this table was provided by the depositor at the time of deposition.

²Construction of each listed mutant has been confirmed either by PCR or by an array indicating a functional T7 promoter in the correct location and orientation. Mutants that did not produce such a signal on the array, or did not yield the expected mutant product during PCR, are not listed.

³Deleted region also overlaps STM14_1708 (0.5%)

⁴Deleted region also overlaps STM14_1707 (0.7%)

⁵Deleted region also overlaps STM14_3469 (2.3%)

⁶Alternative deleted regions: 2824342 – 2824632