

**Anthrax Vaccine Adsorbed (AVA) Pooled Human Plasma**

**Catalog No. NR-28672**

This reagent is the property of the U.S. Government.

**Product Description:** NR-28672 is a preparation of pooled human plasma collected from AVA-vaccinated volunteers using sodium citrate anticoagulant.

**Lot: 61179954 (Battelle 447-G607604)**

**Manufacturing Date: 09NOV2006**

TEST	SPECIFICATIONS	RESULTS
Protein IgG Concentration	Report results	58.8 mg per mL
Anti-PA IgG Concentration by ELISA	Report results	522 µg per mL
Toxin Neutralization Assay (ED <sub>50</sub> ) <sup>1</sup>	Report results	3593
Sterility	Sterile	Sterile
Endotoxin	Report results	< 0.80 EU per mL

<sup>1</sup>The ED<sub>50</sub> is defined as the reciprocal of the dilution of the plasma sample that results in 50% neutralization of anthrax lethal toxin.

**Date:** 01 AUG 2014

**Signature:** 

**Title:** Technical Manager, BEI Authentication or designee

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the manufacturer to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection.  
You are authorized to use this product for research use only. It is not intended for human use.

