

**Cryptococcus gattii, Strain Alg115**

**Catalog No. NR-43215**

**Product Description:** *Cryptococcus gattii* (*C. gattii*), strain Alg115 is the progeny of a genotypic cross between *C. gattii* strains R265 and Alg114.

**Lot<sup>1,2</sup>: 61631748**

**Manufacturing Date: 29MAR2013**

TEST	SPECIFICATIONS	RESULTS
<b>Phenotypic Analysis</b> Cellular morphology <sup>3</sup> Colony morphology <sup>3</sup>  Canavanine-glycine-bromthymol blue (CGB) differential medium <sup>4</sup>	Report results Report results  Blue ( <i>C. gattii</i> )	Globose to ovoid, single (Figure 1A) Smooth, entire and white to cream (Figure 1B) Blue ( <i>C. gattii</i> )
<b>Genotypic Analysis</b> Sequencing of partial 18S rRNA gene, internal transcribed spacer (ITS) 1, 5.8S rRNA gene, ITS 2, partial 28S rRNA (~ 520 base pairs) Sequencing of 26S rRNA gene (~ 620 base pairs)	Consistent with <i>C. gattii</i>  Consistent with <i>C. gattii</i>	Consistent with <i>C. gattii</i> <sup>5</sup>  Consistent with <i>C. gattii</i> <sup>5</sup>
<b>Purity<sup>6</sup></b> Nutrient broth with 0.1% Yeast Extract at 25°C Nutrient broth with 0.1% Yeast Extract at 37°C	No bacterial growth No bacterial growth	No bacterial growth No bacterial growth
<b>Viability (post-freeze)<sup>2</sup></b>	Growth	Growth

<sup>1</sup>NR-43215, lot 61631748, was produced by the depositor by incubation at 30°C in Yeast Peptone Dextrose medium overnight. The resultant growth was mixed with 30% glycerol to a final concentration of 15% and vialled.

<sup>2</sup>Quality control testing was performed at BEI Resources.


<sup>3</sup>4 days at 25°C in an aerobic atmosphere on Yeast Mold agar

<sup>4</sup>35 hours at 27°C in an aerobic atmosphere. CGB medium differentiates *C. gattii* from *C. neoformans* based on the ability of *C. gattii* isolates to grow in the presence of L-canavanine and to assimilate glycine as a sole carbon source, resulting in a blue color. *C. neoformans* isolates will show yellow to light-green on CGB medium. [McTaggart, L., et al. "Rapid Identification of *Cryptococcus neoformans* var. *grubii*, *C. neoformans* var. *neoformans*, and *C. gattii* by Use of Rapid Biochemical Tests, Differential Media, and DNA Sequencing." *J. Clin. Microbiol.* 2011 (49): 2522-2527. PubMed: 21593254.]

<sup>5</sup>Also consistent with *C. neoformans*

<sup>6</sup>Clarity of broth was determined by visual inspection after 4 days at 25°C and 37°C in an aerobic atmosphere.

**Figure 1**



**Date:** 29 JAN 2015

**Signature:**

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

