

Certificate of Analysis for NR-49461

Zaire Ebolavirus, Guéckédou/Guinea C07, Gamma-Irradiated

Catalog No. NR-49461

This reagent is the tangible property of the U.S. Government.

Source of Irradiated Antigen: NR-49459 lot 63697187

Irradiation Protocol: Infected cell pellets were resuspended in 50 mM sodium borate and 120 mM sodium chloride (pH 9) containing 1% Triton X-100, gamma-irradiated (5×10^6 RADs) on dry ice, and sonicated. Cell debris was removed by centrifugation and the supernatant containing the irradiated antigen was aliquoted and vialed.

Lot: 63697210 Manufacturing Date: 01SEP2015

TEST	SPECIFICATIONS	RESULTS
Enzyme Immunosorbent Assay (EIA) Using NR-49461 and Heperimmune Mouse Ascitic Fluid to Ebolavirus ¹	Reactive	Reactive
Cell Culture Safety Test for Residual Virus ²	No recovered virus	No recovered virus

¹The contributor recommends using a 1:2000 dilution of NR-49461 in 0.01 M PBS, pH 7.2 to coat the plates.

14 MAR 2018

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²Following the procedure described in Towner, J. S., et al. "High-Throughput Molecular Detection of Hemorrhagic Fever Virus Threats with Applications for Outbreak Settings." <u>J. Infect. Dis.</u> 196 Suppl. 2 (2007) S205-S212. PubMed: 17940951.