

Certificate of Analysis for NR-53907

Adenovirus 10, JJ

Catalog No. NR-53907

Product Description:

Adenovirus (ADV), 10 was isolated prior to 1963 from an eye swab from a patient with conjunctivitis in Washington, D.C., USA. NR-53907 lot 70040924 was produced by infecting *Homo sapiens* lung carcinoma cells (A549; ATCC[®] CCL-185™) with mycoplasma-cured reconstituted lyophilized material (BEI Resources lot V-210-003-514) and incubating in Eagle's Minimum Essential Medium (ATCC[®] 30-2003™) supplemented with 2% fetal bovine serum (ATCC[®] 30-2020™) for 5 days at 37°C with 5% CO₂.

Passage History:

KB(9)/Unk(?)/A(5) (Prior to deposit at BEI Resources/Abbott Laboratories/BEI Resources); KB = Human oral epidermoid carcinoma cells; Unk = unknown; A = A549 cells

Lot: 70040924 Manufacturing Date: 16JAN2022

TEST	SPECIFICATIONS	RESULTS
Identification by Infectivity in A549 Cells	Cell rounding and detachment	Cell rounding and detachment
Sequencing of Species-Specific Region (~ 890 nucleotides)	≥ 98% identity with ADV10), JJ (GenBank: AB724351.1)	100% identity with ADV10), JJ (GenBank: AB724351.1)
Titer by TCID ₅₀ Assay in A549 Cells by Direct Fluorescent Antibody ^{1,2} (7 days at 37°C with 5% CO ₂)	Report results	1.6 × 10 ⁸ TCID ₅₀ per mL
Sterility (21-day incubation)		
Harpo's HTYE broth, 37°C and 26°C, aerobic ³	No growth	No growth
Trypticase Soy broth, 37°C and 26°C, aerobic	No growth	No growth
Sabouraud broth, 37°C and 26°C, aerobic	No growth	No growth
Sheep blood agar, 37°C, aerobic	No growth	No growth
Sheep blood agar, 37°C, anaerobic	No growth	No growth
Thioglycollate broth, 37°C, anaerobic	No growth	No growth
DMEM with 10% FBS, 37°C, aerobic	No growth	No growth
Mycoplasma Contamination		
Agar and broth culture (14-day incubation at 37°C)	None detected	None detected
DNA detection by PCR of extracted Test Article nucleic acid	None detected	None detected

¹The Tissue Culture Infectious Dose 50% (TCID₅₀) endpoint is the 50% infectious endpoint in cell culture. The TCID₅₀ is the dilution of virus that under the conditions of the assay can be expected to infect 50% of the culture vessels inoculated, just as a Lethal Dose 50% (LD₅₀) is expected to kill half of the animals exposed. A reciprocal of the dilution required to yield the TCID₅₀ provides a measure of the titer (or infectivity) of a virus preparation. ²Using anti-Adeno FITC-labelled antibody (Light Diagnostics 5016)

/Heather Couch/

Heather Couch 15 JUN 2022

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898

³Atlas, Ronald M. <u>Handbook of Microbiological Media</u>. 3rd ed. Ed. Lawrence C. Parks. Boca Raton: CRC Press, 2004, p. 798.